





**PANTAKED-DSR** 

Pantoprazole 40mg + Domperidone 30mg(SR) Capsules

# The Dependable Option in GERD

#### **Pantoprazole**

- The prompt acting PPI
- Maximum acid suppression maximum relief

#### Domperidone

 Domperidone is used to treat nausea and vomiting caused by other drugs used to treat Parkinson's Disease.

| GERD| IBS | Gastric & Duodenal Ulcer | Heartburn




Also available as

**PANTAKED-40** 

Pantoprazole Sodium 40mg Tablet





Before
the disease
worsen,
choose the best
PPI for
faster relief

# OMEKED-20 Omeprazole 20mg. Capsule

For associated reflux

### IN DUODENAL ULCERS

Maintenance therapy with PPI reduces Symptomatic Duodenal ulcers recurrence to about 20% per year\*

# FOR INSTANT CONTROL IN HYPERACIDITY

#### In NSAID's Induced ulcers


PPI (Omeprazole) accelerate ulcer healing thus drug of choice for NSAID ulcer\*

#### In Gastro oesophageal reflux disease

Similar efficacy to that of Lansoprazole & Pantoprazole\*

#### In Gastric ulcers

Reduces Gastric acid level effectively \*



# VOMIKED-4MD

Ondansetron 4 mg Dispersible Tablets

Single oral dose for prevention of postoperative Nausea & Emesis

Facilitates oral dehydration

Controls Nausea Vomiting in just 10 minutes

Least drug interactions

10 times safer than Domperidone without any extrapyramidal symptoms (EPS)



**Post operative Nausea & Vomiting** 

**Chemotherapy induced Nausea & Vomiting** 

**Ist Line Antiemetic.. for 1st Dose Success** 

Also available as







# MINOKED-LC

Montelukast Sodium 10mg+Levocetirizine 5mg Tablets

"Leukotrienes give rise to potent biological actions, increases mucus production, causes inflammation, thus narrows down the airways"

#### Montelukast Sodium ...

- Antagonist to cystenyl leukotrienes LTD 4 and LTE 4, thus causes broncho-dilation and reduces wheezing in asthmatic patients
- This makes patients inhale and exhale without and extra effort

#### Levocetirizine ...

- Potent histamine with decongestant properties without any sedative effects
- Bilayered technology makes it work faster in clinical practice



### MINOKED-LC

Montelukast Sodium 10mg+Levocetirizine 5mg
Syrup

Effective in...

ASTHMA
ALLERGEN INDUCED BRONCHO CONSTRICTION



# MINOKED-FX

Montelukast 10mg & Fexofenadine 120mg Tablets

#### **FEXOFENADINE**

- Fexofenadine is effective in reducing the total symptom score of allergic rhinitis including blocked nose and is considered safe for pediatric patients as young as 6 year of age.
- Seasonal allergy relief from sneezing, running nose, itchy eyes or skin and general body fatigue

#### MONTEUKAST

• Monteukast causes inhibition of airway cysteinyl lukotriene receptore as demonstrated by the ability to inhibit bronchoconstriction due to inhaled LTD 4 in asthmatics

#### **Used For:**

- Treating seasonal allergy symptoms such as sneezing, runny nose, itchy throat, or itchy, watery eyes.
- It is also used to treat hives and skin itching. It may also be used for other conditions as determined by your doctor.
- Fexofenadine is an antihistamine. It works by blocking a substance in the body called histamine. This helps to decrease allergy symptoms.

#### **Indications:**

- Seasonal allergic rhinitis
- Perennial allergic rhinitis
- Pruritus
- Allergen-induced wheal-and-flare



**Smart Way To Find Happiness** 



Paracetamol, Phenylephrine HCl, Chlorpheniramine Maleate & Caffeine **Tablets** Paracetamol, Phenylephrine HCl & Cetirizine **Syrup** 

- **Paracetamol** Produces analgesia by elevation of pain threshold and antipyretic effect through action on the hypothalamic heat regulating center.
- **Phenylephrine** as a sympathomimetic decongestant reduces the nasal congestion due to increase nasal blood flow associated with cold influenza.
- Caffeine is a xanthine alkaloid & a stimulant drug shows effect within 15 min after ingestion.
- **Chlorpheniramine** competitively antagonize histamine at H1 receptor sites Controls sneezing, running nose and itchy eyes



Phenylephrine A Decongestant Caffeine A CNS Stimulant

Fever Nasal Congestion
Headache Drowsiness
Sneezing Cough & Cold

Versatile With Better Efficacy





# DEFLAKED

### Deflazacort 6mg Suspension

Deflazacort is derived from prednisolone

A corticosteroid with mainly glucocorticoid activity.

An anti-infamamatory dose of 6 mg deflazacort is equal to 5 mg prednisolone.

Exhibits greater anti-inflammatory potency than prednisolone

Possesses anti-inflammatory and immunomodulatory properties


#### Indications:

**Rheumatoid Arthritis** 

**Other inflammatory Reactions** 

Systemic Lupus Erythematosus (SLE) | Severe Asthma

For bettor & Quick relief against critical inflammatory condition..



# ACEKED-SP

Aceclofenac 100 mg + Paracetamol 325mg + Serratiopepdase 15mg **Tablets**Aceclofenac 50 mg + Paracetamol 125mg **Suspension** 

#### **Aceclofenac**

Potent analgesic and anti-inflammatory NSAID Has better safety than conventional NSAIDs No cardiac or gastro side- effects

#### PARACETAMOL

Ensures faster onset of action with time tested analgesic & anti-inflammatory control

#### **SERRATIOPEPTIDASE**

An ideal anti-fibrinolytic and anti oedemic agent

#### Osteoarthritis

Rheumatoid

Spondylosis


Sprains & Strains

**Fractures** 

Chronic back pain

Also Available:

ACEKED-PLUS ASOKED-PLUS
Aceclofenac 50 mg & Paracetamol 125 mg Suspension Aceclofenac & Paracetamol Suspension



### PARAKED-MR

Diclofenac Potassium 50mg + **Tablets**Paracetamol 325mg+Chlorzoxazone 250mg

#### Diclofenac Potassium

- Possesses rapid onset of action 15 minutes
- Inhibits COX enzyme & prostaglandin synthesis faster than Diclofenac sodium
- Relieves the pain, tenderness, inflammation, stiffness & swelling Serratiopeptidase

#### Serratiopeptidase

- Potent anti-inflammatory agent
- Speeds up the tissue repair and healing

#### **Paracetamol**

- Times tested and trusted analgesic
- Gentle on various parameters
- Works in synergy with Diclofenac
- Pain & inflammation

Tendonitis / Bursitis

Back Pain

- Neck / Shoulder Pain
- Sprains strains

### Assures Relief Against Pain & Inflammation





# **DICLOKED-P**

Diclofenac Potassium 50mg + Paracetamol 325mg Tablets

### Diclofenac Potassium


- Possesses rapid onset of action 15 minutes
- Inhibits COX enzyme & prostaglandin synthesis faster than Diclofenac sodium
- Relieves the pain, tenderness, inflammation, stiffness & swelling Serratiopeptidase

### **Paracetamol**

- Times tested and trusted analgesic
- Gentle on various parameters
- Works in synergy with Diclofenac
  - Pain & inflammation
- Sprains strains

Back Pain

Neck / Shoulder Pain



# MEFKED-SPAS

Mefenamic Acid 250mg & Dicyclomine HCl 10 mg Tablets

**Combination of potent MAID with smooth muscle relaxant** 

Inhibits uterine prostaglandins and also relieves cramping in smooth muscles

Combination offers complete relief of pain in 84% patients in moderate to severe dysmenorrhea

SPASMODIC DYSMENORRHEA BILIARY COLIC GASTRO-INTESTINAL COLIC

**URETRIC COLIC** 

Relieves spasms of various origin



# KEDSUN

# MEFKED-SPAS

Simethicone 40mg & Dicyclomine HCl 10 mg Syrup

- Dicyclomine is an antispasmodic, works by relaxing the muscles in your stomach and gut (intestine)
- Stops sudden muscle contractions (spasms), thereby relieving abdominal cramps and pain
- Simethicone is an antifoaming, disintegrates gas bubbles and allows easy passage of gas

**MEFKED-SPAS** Safest way to relieve infant colic Prevent gas formation & helps in digestion

Indicated in:

Flatulence, Intestinal Spasms & Cramps

Break the Shackles of Pain with Dual Power of....





# NIMUKED-P

Nimesulide 100mg + Paracetamol 325mg Tablets

### **Nimesulide**

More effective than Naproxen & Mefenamic Acid

Better gastrointestinal safety than conventional NSAIDs

### **Paracetamol**

Most widely used pain reliever

Synergistic efficacy with NSAIDs in pain

BACKACHE • TOOTHACHE • SOFT TISSUE INFLAMMATION PRIMARY DYSMENORRHEA • MUSCULAR ACHE

### **Fast Relieving Analgesic for Acute Pain**



# **KEDROLAG-DT**

Ketorolac Tromethamine 10 mg Dispersible Tablets



### **Proven Efficacy**

- Potent non-steroidal agent with potent analgesic and moderate anti-inflammtory activity.
- Inhibits cox-2 enzyme and prostaglandin synthesis.
- It has Potent analgesic Activity, similar to Morphine and meperidine.
- Highly effective in short term sever acute pain.
- ketorolac does not bind to opioid receptors and is not a centrally acting agent.



#### **Unparallel Safety Profile**

- -> Free from cardio, respiratory & renal side effects.
- -> No urinary retention, constibution & biliary disorders.
- -> Safe in patients with active ulcers and Asthama.
- -> Ideal for elderly patients.



#### **Indications:**

Surgical Pain **Dental Pain Acute and Severe Pain Acute Gout Acute Musculo Skeletal Disorders** Safe and Effective in Post-Operative Pain



### **More Effective & Safety ...**





# **KEDCLAV-625LB**

Amoxycillin 500mg + Potassium Clavulanate 125mg **Tablets** with Lactic Acid Bacillus


- Clavulanic acid synergistically expands
- √ Highly active against betalactamase producing H.influenzae and M. catarrhalis
- √ First- line antibiotic drug for severe infections

RESPIRATORY TRACT INFECTIONS

SKIN ANS SOFT TISSUE INFECTIONS

**GENITO-URINARY TRACT INFECTIONS** 

**BONE AND JOINT INFECTIONS** 



# AZIKED-500

Azithromycin 500mg

**TABLETS** 

- Reaches the site of infection repidly
- Achieves high tissue conc. for longer periods of time
- Effective against wide range of pathogens Well tolerated by all age group

**Community Acquired Pneumoniae** 

**Bact.Sinisitis/Pharyngitis/Tonsillitis** 

**Typhoid Fever** 

**Skin & Skin Structure infections** 

**Urethritis/ Cervicitis** 

**Acute Otitis Medla** 



**AZIKED-200** 

Azithromycin 200mg

Suspension

#### **Improves**

Lactose digestion

#### Reduces

intolerance symptoms

#### **Decreases**


quantity of faecal microbial enzymes which activate carcinogens



# KED-BIOTIC

### Pre & Probiotic

### Capsules



**Infectious Diarrhoea** 

**Anti-biotic Associated Diarrhoea** 

**Lactose Intolerance** 

**Recurrent Infections** 

**Irritable Bowel Syndrome** 



# **ITROKED** 100 200

### Itraconazole 100/200mg Capsules

- Broad spectrum of action with efficacy against aspergillosis, histoplasmosis, candidiasis as well as fungal infection of toe nails and onychomycosis
- A potent fungistic that is effective even in immuno compromised patients
- Itraconazole was tolerated significantly better than conventional AMB and also showed advantages regarding efficacy.
- Itraconazole is a useful and safe agent in empirical antifungal therapy

### **Indications:**

Aspergillosis
Candidiasis
Sporotrichosis
Crytococcosis
Mycosis

Fungal Infections
Can Be Tough
To Eradicate...



### Gold winning Performance in daily stressful life

# KEDMAX-4G

Omega-3 Fatty Acids, Green Tea Extract,

**SOFTGEL CAPSULES** 

Ginkgo Biloba, Ginseng Extract, Grape Seed Extract,

Garlic Extract, Antioxidant, Vitamins, Minerals & Trace Elements

#### **OMEGA 3 FATTY ACIDS**

Supports cardiovascular health Helps reduce high blood pressure Relieves joint pain and swelling Reduces inflammation associated with lupus and endometriosis Improves memory, cognition & brain function Enhances immune system function Supports breast, colon, and prostate health Helps correct an omega-3 imbalance

#### **GINSENG**

**Promotes Healthy Immune Function** Helps to maintain excellent body functions

#### **GINKGO BILOBA**

For improving blood flow, for improving memory/ concentration due to certain brain problems

#### **GREEN TEA EXTRACT**

Green tea is used to improve mental alertness and thinking. It used for weight loss and to treat stomach disorders, vomiting, diarrhea, headaches, bone loss (osteoporosis), and solid tumor cancers.


#### With added benefits of Vitamins, Antioxidents & Minerals

Repair and strengthen muscle tissue to help with greater mobility Supports the function and structure of the cells. Supports the immune system.

> Help protect the body from free radical damage. Support mental sharpness

Support the heart and other organs to improve function Supports the healthy digestive system. Supports the red blood cells formation

#### **GRAPE SEED**



**IMPARTS VITALITY TO HEALTH** 

CARDIOVASCULAR DISEASES | HIGH BLOOD PRESSURE | MALE & FEMALE INFERTILITY | OVARIAN CANCE OSTEOPOPRISIS | DIABETES | PRE-ECLAMPSIA | EXERCISE-INDUCED ASTHMA | SKIN CANCER AGE-RELATED MACULAR DEGENERATION





WHEN BONE HAS
GROWN OLD & POROUS



# KEDJOINT-K27

Calcium Citrate Malate, Calcitriol, Vitamin K27-, Omega-3 Marine Triglycerides, Methylcobalamin Folic Acid & Boron softgel capsule

- Better calcium then calcium carbonate
- Facilitates intestinal absorption of calcium
- Helps in bone mineralisation
- Helps prevent osteoporosis

**Pregnancy and Lactation** 

Menopause

**Bone Fracture** 

**Vitamin D Deficiency** 



### **KEDJOINT-K27**

**Calcium Suplement for old & Porous Bones** 

### For every stage of life





### **KEDJOINT-FORTE**

Calcium Citrate Malate, Vitamin D3 & Folic Acid Tablets

#### **Calcium Citrate**

Calcium citrate is commonly used to treat or prevent calcium deficiency, especially in individuals who may not get enough calcium from their diet alone. It is also used in the treatment of conditions such as osteoporosis, which is characterized by weakened bones, and osteomalacia, which is a softening of the bones due to inadequate calcium absorption.

#### **Calcium Citrate**

Folic acid, also known as folate or vitamin B9, is a water-soluble vitamin that is essential for the growth and development of the body's cells. It is particularly important for pregnant women, as it helps in the formation of the neural tube in the developing fetus, which can prevent birth defects of the brain and spine.

#### Vitamin D3

Vitamin D3, also known as cholecalciferol, is a fat-soluble vitamin that plays a crucial role in maintaining bone health by promoting the absorption of calcium and phosphorus from food. It also helps in regulating the immune system, reducing inflammation, and improving muscle function.

- Higher bio-availablity 250% higher
- No chelate formation with iron
- Calculi
- Dose not causes constipation
- No bowel gas discomfort

### Indications :-

- Pregnancy & lactation
- Osteoporosis and Osteopenia
- ► For Strong Bones & Teeth

### For Successful Pregnancy Outcome

# ARGIKED

L-Arginine 3gm, DHA 200mg, Proanthocyanidins 75mg, Vitamin B6 3mg, Cyanocobalamin 750mcg & Folic Acid 1.5mg **Sachet** 

#### L-Arginine:

Improves uteroplacental blood flow thereby improves delivery of nutrients & oxygen to the fetus. Improves conditions of IUGR, Small for Gestational age & Oligohydramnios. Reduces risk of low-birth-weight babies

#### **Proanthocyanidin:**

These have strong anti-oxidant property. Antioxidant power of is 20 times greater than vitamin E and 50 times greater than vitamin C They increase production of nitric oxide & prevent its inactivation by free radicals

#### Folic Acid & Vit B6:

They help in reducing homocysteine level in the blood Thus prevent vasoconstriction & improve feto-maternal circulation & fetal growth Also prevent neural tube defect

#### **Cyanocobalamin:**

It's used to treat and prevent vitamin B12 deficiency anaemia. Your body requires vitamin B12 to make red blood cells.

#### DHA:

Its essential for the growth and functional development of the brain in infants. DHA is also required for maintenance of normal brain function in adults.

- Gestational Hypertension
- Pre-eclampsia
- Intra-Uterine Growth Restriction (IUGR)
- Oligohydramnios



# CALCIKED-D3 60K

### Cholecalciferol 60,000 IU

### **Softgel Capsule**

- Exert Strong Immune Enhancing Effect
- Controls Blood Pressure
- Improves Proper Bone Development & Muscle Contraction
- Treat Refractor Rickets (Vitamin D Resistant Rickets)
- Controls Hypoparathyroidism, Hypophosphatemia, Hypocalcemia

#### Also useful in:

Excellent Therapy In Chronic Kidney Disease In Long-term Hemodialysis Patients Easy And Cost-effective Therapeutic Measure Allows Reduction Of Vitamin D Deficiency Extend Better Control Of Minerals Metabolism Attenuates Inflammation




Alsa Available:

**CALCIKED-D3** 

Cholecalciferol 60,000 IU Sachets





# CALCIKED

Calcium Phosphate 0.25gm, Vitamin D3 200IU & Vitamin B12 Suspension/Sachets

### For strong foundation...stronger tomorrow

- Calciked suspension is an important source of additional Calcium Phosphorus and Zinc to optimize its effectiveness.
- Calciked provides Calcium and Phosphorus in right ratio 2:1 maximum calcium absorption occurs when the ratio of Calcium to Phosphorus is 2:1.
- Vitamin D3 & Zinc enhances the absorption and utilizatio of Calcium.
- Calciked is a balanced Calcium-Phosphorus supplement for growing children.

HELPS TO BUILD STRONGER BONES





An inseparable **BOND** with **BONES**...



vit.D3 enhances calcium absorption and helps in bone mineralisation


- Reduces incidences of fractures
- Enhances Osteoblastic activity
- Prevents maternal & foetal complications
- Ensures proper growth in children

A must for calcium absorption

Osteoporosis Osteomalacia Fractures

Post Menopausal Pregnancy & Lactation Old Age

...The Active Calcium...for Active Life



# KEDCLAV

Amoxycillin 200mg + Potassium Clavulanate 28.5mg

Oral Suspension

Amoxicillin is used to treat many different types of infections caused by bacteria, such as ear infections, bladder infections, pneumonia, gonorrhea, and E. coli or salmonella infection.

- √ Clavulanic acid synergistically expands
- √ Highly active against betalactamase producing H.influenzae and M. catarrhalis
- √ First- line antibiotic drug for severe infections

RESPIRATORY TRACT INFECTIONS

**GENITO-URINARY TRACT INFECTIONS** 

**SKIN ANS SOFT TISSUE INFECTIONS** 

**BONE AND JOINT INFECTIONS** 



# CEFKED 500

Cefixime 50/100mg

### Suspension

- Possesses broad spectrum of antibacterial activity particularly active against many Enterobacteriaceae, Haemophilus influenzae, & Branhamella catarrhalis
- Safe, effective, cheaper oral option for the treatment of MDR enteric fever(1)
- Superior bacteriological eradication & tolerability rates compared to Amoxicillin in RTI (2)

**Uncomplicated Urinary Tract Infection** 


Otitis Media


**Acute Bronchitis** 

**Acute Exacerbations Of Chronic Bronchitis** 

(1) South Med J 1997: 90(12: 1204-7

(2) Presse med October 11 1989: 18 (32): 1600-4





# AZIKED-500

Azithromycin 500mg

**TABLETS** 

- Reaches the site of infection repidly
- Achieves high tissue conc. for longer periods of time
- Effective against wide range of pathogens Well tolerated by all age group

**Community Acquired Pneumoniae** 

**Bact.Sinisitis/Pharyngitis/Tonsillitis** 

**Typhoid Fever** 

**Skin & Skin Structure infections** 

**Urethritis/ Cervicitis** 

**Acute Otitis Medla** 



AZIKED-200

Azithromycin 200mg

Suspension

Therapy that spreds smile in stomach





# CYCLOKED

Dicyclomine & Simethicone

Suspension

**Megaldrate** is an antacid that works by neutralizing the acid in the stomach, thereby reducing symptoms such as heartburn and indigestion. It can also be used to treat peptic ulcers and gastritis. Megaldrate is usually taken orally as a tablet or suspension, and the dosage and frequency of use will depend on the individual's specific needs and the severity of their symptoms.

**Dicyclomine** is an antispasmodic medication that works by relaxing the muscles in the digestive tract, which can help to reduce symptoms such as abdominal pain, cramping, and bloating. It is typically used to treat symptoms of irritable bowel syndrome (IBS) and other gastrointestinal disorders.

Also Available

*CYCLOKED* 

Dicyclomine & Simethicone

**Drops** 



**Refreshing taste... again**with Enzymes that
Aids Digestion...



# KEDZYME

Fungal Diastase & Pepsin Syrup

### Pepsin+Fungal Diastase...

- Fungal Diastase ...helps in effective digestion of carbohydrates
- **Pepsin**...enhances digestion of proteins in food
- Aids the natural digestive process
- Reduces digestion and increases appetite
- Controls symptoms like belching, bloating and flatulence

- Indigestion
- Dyspepsia
- Loss of Appetite
- Weight Loss

# KEDZYM

... A Balanced Enzymatic Supplement



### Incites Desire to Eat



# APIKED

Cyproheptadine Hydrochloride 2 mg + **Syrup**Trichloline Citrate 275mg

#### Cyproheptadine

- Stimulates the appetite and growth
- Tones up the entire digestive system
- Enhances weight gain

### **Sorbitol Solution**

 Normalizes peristalsis and eases evacuation


#### **Tricholine Citrate**

- Potent hepato-protective agent
- Increases appetite
- Depletes fat accumulation in liver
- Increases fat emulsification, transport and utilization
- Accepted clinical combination for stimulating appetite & growth
- Shows stimulatory effects on growth hormones
- Tones up the entire digestive system

Loss of Appetite

Weight Loss

Liver Disorders



# PARAKED- 250

### Paracetamol 250mg

- Paracetamol, unlike opioids does not cause euphoria or alter mood in any way
- Paracetamol does not irritate the lining of the stomach
- Paracetamol is an effective analgesic for a wide range of painful conditions
- Paracetamol continues to be recommended as a first choice analgesic for osteoarthritis
- Paracetamol has an excellent safety record at therapeutic doses

### suspension

It is used to treat

Fever

Mild to moderate Myalgia & Arthralgia

Chronic pain of Cancer

Post Operative Pain

**H**eadache Post

**P**artum Pain

### Significant Antipyretic Effect & Well Tolerated



### PARAKED-PLUS

IBUPROFEN 100MG + PARACETAMOL 162.5MG SYRUP

# Effective control on Pain & Fever



It is a combination of Ibuprofen and Paracetamol, which belongs to the group of medicines called Non-steroidal anti-inflammatory (NSAIDs) and Analgesics respectively. It is indicated in the treatment of minor aches and pains and for reduction of fever.

### **Ibuprofen**

Ibuprofen is a nonsteroidal anti-inflammatory drug (NSAID) that is used to relieve pain, reduce fever, and reduce inflammation. It works by inhibiting the production of prostaglandins, which are chemicals that contribute to pain, fever, and inflammation. Ibuprofen is commonly used to treat a variety of conditions such as headache, menstrual cramps, toothache, back pain, arthritis, and fever.


### **Paracetamol**

Paracetamol, also known as acetaminophen, is a commonly used medication for pain relief and fever reduction. It works by inhibiting the production of prostaglandins, whic are chemicals that contribute to pain and fever. Paracetamol is often used to treat headaches, toothaches, menstrual cramps, muscle aches, arthritis, and other mild to moderate pain. It is also used to reduce fever associated with various illnesses such as colds & flu.

#### Indicated In:

- Muscular Aches
- Fever

- Toothache/Teething Pain
- Headache/Eareache
- Rheumatoid Arthritis



# ACEKED-SP

Aceclofenac 100 mg + Paracetamol 325mg + Serratiopepdase 15mg **Tablets**Aceclofenac 50 mg + Paracetamol 125mg **Suspension** 

#### **Aceclofenac**

Potent analgesic and anti-inflammatory NSAID Has better safety than conventional NSAIDs No cardiac or gastro side- effects

#### **PARACETAMOL**

Ensures faster onset of action with time tested analgesic & anti-inflammatory control

#### **SERRATIOPEPTIDASE**

An ideal anti-fibrinolytic and anti oedemic agent

#### Osteoarthritis

Rheumatoid

Spondylosis

Sprains & Strains

**Fractures** 

Chronic back pain

Also Available:

ACEKED-PLUS ASOKED-PLUS
Aceclofenac 50 mg & Paracetamol 125 mg Suspension

Aceclofenac & Paracetamol Suspension

Aceclofenac & Paracetamol Suspension



# OFLOKED

Ofloxacin 50 mg & Metronidazole 100mg Suspension

#### **OFLOXACIN**

- 96% bacterial eradication rate
- Extended Antibacterial Spectrum
- Gram +ve -Ve, atypical pathogens
- Excellent absorption (More than 95%)
- Penetrates up to deepest level.
- Elongated post antibiotic effect
- Safer for all age groups

#### **METRONIDAZOLE**

Super Spectrum Antiprotozoal

#### Indications: -

- Acute Diarrhoea & Dysentery
- Intra Abdominal Infections
- Better Therapeutic Efficacy over OD levofloxacin plus metronidazole in **Treatment of uPID in adolescents**





Achieve Best Clinical Cure With Dual Action



Innovative combination for the treatment of Fever & Pain



# MEFKED-P

Paracetamol 125mg & Mefenamic Acid 50mg Tablets

#### **Mefenamic Acid**

- One of the effective NSAID
- Blocks the actions of prostagladin in body.
- lowering inflammation

#### **Paracetamol**

- Posseses effective analgesic & antipyretic properties
- Provides rapid relief from fever & body ache
- Faster Onset of action

### Indications:

Pain Fever Inflammation





# Fexoked-30

### Fexofenadine HCl 30 mg Suspension

### **FEXOFENADINE**

- Fexofenadine is effective in reducing the total symptom score of allergic rhinitis including blocked nose and is considered safe for pediatric patients as young as 6 year of age.
- Seasonal allergy relief from sneezing, running nose, itchy eyes or skin and general body fatigue

#### **Used For:**

- Treating seasonal allergy symptoms such as sneezing, runny nose, itchy throat, or itchy, watery eyes.
- It is also used to treat hives and skin itching. It may also be used for other conditions as determined by your doctor.
- Fexofenadine is an antihistamine. It works by blocking a substance in the body called histamine. This helps to decrease allergy symptoms.

### **Indications:**

- Runny Nose
- Itchy, watery Eyes
- Sneezing
- Itching of the Nose or Throat







Paracetamol, Phenylephrine HCl, Chlorpheniramine Maleate & Caffeine **Tablets** Paracetamol, Phenylephrine HCl & Cetirizine **Syrup** 

- **Paracetamol** Produces analgesia by elevation of pain threshold and antipyretic effect through action on the hypothalamic heat regulating center.
- **Phenylephrine** as a sympathomimetic decongestant reduces the nasal congestion due to increase nasal blood flow associated with cold influenza.
- Caffeine is a xanthine alkaloid & a stimulant drug shows effect within 15 min after ingestion.
- Chlorpheniramine competitively antagonize histamine at H1 receptor sites Controls sneezing, running nose and itchy eyes

Paracetmol
An Antipyretic

Phenylephrine A Decongestant Caffeine A CNS Stimulant

Chlorpheniramine
An Antihistamine

Fever Nasal Congestion
Headache Drowsiness
Sneezing Cough & Cold







# AMROKED

Ambroxol 15mg + Terbutaline 1.25mg + Syrup Guaiphenesin 50mg+Menthol 1.5mg

#### **Ambroxol Hydrochloride**

Mucolysis, Mucokinesis Controls bronchial inflammation

#### **Terbutaline Sulphate**

Dilates the lungs and helps in drainage of sticky mucus

#### **Guaiphenesin as muckokinetic**

Reduces stickyness and increases the output of respiratory secreations Fecilitates easy expectoration

#### **Menthol**

Soothes the irritated and inflammed throat.

#### Indications:

- Common Cold Smoker's Cough Allergic Cough Nasal Congestion



#### A Safe & Effective Option In Treating Asthma Symptoms.....

# AMROKED-LS

Levosalbutamol 1mg + Ambroxol30mg + Guaiphensin 50mg Syrup

#### Levosalbutamol

Rapid action bronchodilator

Relaxes the smooth muscle thus ensures comfortable breathing

No side effects like tachycardia, hypokalemia

#### **Ambroxol**

Time tested mucolytic agent
Breaks mucus, ensures faster expulsion

#### Guaiphenesin

Excellent expectorant action Soothes inflamed throat

Also Available

AMROKED-LS

Levosalbutamol 1mg +
Ambroxol 30mg + Guaiphensin 50mg Syrup

Asthma
Chronic obstructive
Pulmonary disease (COPD)
Productive cough
A co-prescription in RTIs



.....Easy breathing all season





For Dry Cough

A
Triple Action
Formula

# KEDCUF-DX

Dextromethorphan 10 Mg + Syrup Phenylephrine 5 Mg. + Chlorpheniramine Maleate 2 Mg.

Dextromethorphan: A time tested Anti-tussive safer than Codeine

Phenylephrine: Assists to clear respiratory airways for smooth breathing

**Chlorpheniramine**: Time testes antihistamine

Dry Cough I Cough Associated With URTI Smoker's Cough I Bronchitis I Rhinitis

Also Available


### **KEDCUF-DX SF**

Dextromethorphan 10 Mg + Syrup Phenylephrine 5 Mg. + Chlorpheniramine Maleate 2 Mg.

### **KEDCUF-DX**

Dextromethorphan 10 Mg + Syrup Phenylephrine 5 Mg. + Chlorpheniramine Maleate 2 Mg. Bring the Acidity Down with....





# KEDCID

Magaldrate 480 Simethicone 20 mg Syrup

#### **SIMETHICONE**


- Reduces the surface tension of the frothy gastric contents, thus allows gas to escape
- Relieves associated indigestion, flatulence & reflux

#### **MAGALDRATE**

sustained antacid action

- Provides prompt yet
- Rapidly reacts with acid

Duodenal Ulcers Gastric Ulcers
Esophagitis NSAID Induced Mucosal Damage



### **SUCRALFATE**

- Thick gel provides protective coating on the ulcer
- Prevents further degraduation

### **OXETACAINE**

- Local anesthetic agent
- Controls pain associated with ulcer

Stress Ulcer Prophylaxis

**GERD during Pregnancy** 

**Duodenal Ulcer** 

**Ulcerative Colitis** 



Smooth Healing.... Sure Relief





In Patients With Throat Irritation, Cough, Difficulty In Breathing/ Shortness Of Breath.

# KASIKA



## A COMPLETE & EFFECTIVE HERBAL COUGH REMEDY

- → Useful in throat irritation due to its mucolytic action which loosen the phlegm deposits in airways.
- → Proven & Safe Bronchodilatory action, & helps in shortness of breath/ difficulty in breathing.
- **→** Exhibit Anti- inflammatory, Immuno-Modulatory & Anti-bacterial Action.
- → Ueful in cough, Cold & Nasal Congestion.

Doses: 2 tea spoon full with 1/4 cup of warm water three times a day.

## For Infections Free Foot.....



# LULIKED 10 GM 20 GM 30 GM

**LULICONAZOLE 1% W/W Cream.** 



- An imidazole antifungal agent.
- Works by killing sesitive fungi by interfering with the formation of the fungal cell membrane and weakening it.
- Most potent antifungal agent against dermatophytes Trichophyton rubrum, microsporum gypseum and Epidermophyton floccosum,

..... Effective in tratment of Fungal Infections.

Also Available:

RINGWORM IKED-LOTION

Effective in:

ATHLETE'S FOOT

JOCK ITCH



Clotrimazole 1% w/w Powder

- Is a broad-spectrum antimycotic drug mainly used for the treatment of Candid albicans and other fungal infections.
- It displays fungistatic antimycotic activity by targeting the biosynthesis of ergosterol.
- Important part of a new protocol for oral candidiasis, with improved clinical outcomes.
- Most commonly employed as a topical treatment in the management of vaginal candidiasis.

#### Indication:

Athletes foot Immunocompromised patients Candidiasis Jock itch





## Helfp in Mixed Skin Infections

# **CIPROKED-NF**

Ciprofloxacin, Metronidazole, Terbinafine & Clobetasol Cream







This is a combination of Ciprofloxacin, Metronidazole, Terbinafine & Clobetasol its together helps the user to achieve complete relief from various skin infections & their effects including redness, itching, and swelling.

Ciprofloxacin: Ciprofloxacin is an antibiotic that works by preventing the bacteria to repair, divide, or reproduce and eventually killing them.

Metronidazole: Another antibiotic Metronidazole works by killing other microorganisms including parasites and anaerobic bacteria that cause infections by destroying the DNA.

Terbinafine Hydrochloride: Terbinafine is an antifungal medication that restricts the growth of fungi by inhibiting them from forming their protective shield.

Clobetasol Propionate: Lastly, a steroid Clobetasol acts by blocking the production of certain chemical messengers known as prostaglandins that make the skin itchy, red, and swollen.

### For blemish Free & Glowing Skin



Eradicate Fungal Growth to Regain the Beauty

# DERMIKED

Ketoconazole, Neomycin, Iodochlorhydroxyquinoline, Tolnaftate & Clobetasol Propionate **Cream** 



#### **CLOBETASOL PROPIONATE**

- Braod Spectrum anti fungal agent
- Effective in condition with Tinea Pedis with 80% cure rate

#### KETOCONAZOLE

It kills fungi by destroying the fungal cell membrane.
 This treats your infection.

#### **NEOMYCIN SULPHATE**

Well accepted antibacterial agent.

#### **TOLNAFTATE**

• It is an antifungal medication.

#### IODOCHLOROHYDROXYQUINOLINE

 It acts by interacting with DNA synthesis thus killing the fungi. **Jock Itch** 

**Athlete's Foot** 

Ringworm

**Skin Infections** 

**Infected Eczema** 

**Contact Dermatitis** 

**Bacterial Dermatomes** 

**Better Absorption** 





K-MUCE

Mupirocin Ointment 2% Cream

- Monotherapy with mupirocin 2% should be considered as a primary treatment alternative for pitted keratolysis
- Competitively inhibits bacterial isoleucyl transfer-rna synthetase and inhibit bacterial protein synthesis
- It is Excellent in vitro activity against staphylococci and most streptococci

**Impetigo** 

**Carbuncies** 

**Folliculitis** 

**Erytheme** 

**Furunculosis** 

Minor Burns

**Infected Eczema and Wounds** 

**Severe Ecthyma** 

Minor Skin Infection Caused By Bacteria

**Atopic Dermatitis** 



Non-Greasy

Less Irritant





Hydroguinone 2%, Trerinoin 0.025% & Mometasone Furoate 0.1% Cream

### for The Crowning Glory

- Better topical hypopigmenting agent with rapid rate of clinical improvement when compared to kojic acid cream in patient with melasma
- Safe and effective in treatment of hyperpigmentation and skin roughness
- Potent glucocorticoid agent for treatment of severe localized dermatoses



- Pimple Marks
  Dark Circles
- ★ Injury Marks
  Burn Marks
  Lifeless Skin





# CLINKED-GEL

### Clindamycin 1% & Nicotinamide 1%Cream

#### Clindamycin

- ◆ A lincosamide antibiotic usually used to treat infeaction with anaerobic bacteria.
- Common topical treatment for acne and can be useful against some methicillin-resistant Staphylococcusf aureus (MRSA) infections
- FDA approved antibiotic.

#### **Nicotinamide**

- Essentially acts as an antioxidant.
- Reduces redness, dryness, irration and mousturizes the skin.
- Most effects are exerted via poly-adenosine diphosphate-ribose polymerase inhibition.

To Manage Severe & Uncontrolled Hypertension



# TELMIKED-40

Telmisartan 40 mg

**Tablet** 

### **Management of Hypertension**

- Blocks vasoconstrictor and Aldosterone Secreting Effects
- More Affinity for At1 Receptor than for At2 receptor




**TELMIKED-AM** 

Telmisartan 40 mg + Hydrochlorothiazide 12.5 mg Tablet







# GABAKED

Methycobalamin 500mcg + Gabapentin 300mg Tablet

- Produces neuroprotective & neuropromotive effects.
- Provides mecobalamin which increases myeline sheath formation & regenerates neurons.
- Prevents neuropathic pain & improves neuronal activites.
- Reduces the hyper activated neurotransmitter release.

#### **INDICATIONS**

All peripheral neuropathies
Reflex sympathetic dystrophy
Alcohol induced neuropathy
Post herpetic neuralgia

FOR MANAGEMENT OF NEUROPATHIC PAIN & ENHANCE QUALITY OF LIFE



# FEBUKED 40 80

Febuxostat 40/80mg

**TABLETS** 

Potent, xanthine oxidise inhibitor: superior ability to lower and maintain serum urate levels compared with allopurinol Shows sustained reductions in serum urate levels and complete elimination of gout flares

Effectively lowers urate levels with good safety and tolerability profile

FOR THE CHRONIC MANAGEMENT OF HYPERURICEMIA IN PATIENTS WITH GOUT





Aut down the rising levels of sugar...

# GLIMKED

Glimepiride 1/2mg & Metformin 500mg Tablets

#### **Metformin**

Improves lipid profile of body by reducing hypertriglyceridemia.

Reduces the amount of glucose produced by liver and preserves the function of the cells in the pancreas.

Provides weight stabilisation or reduction.



### **Glimepiride**

An antidiabetic with least risk of hypoglycemia Decreases HbA1c by 1.2-1.9% in patients with type 2 diabetes mellitus, which is not suffciently cocontrolled by diet and exercise





**GLYCIKED SR-500** 

Metformin 500mg

**Tablets** 

**GLYCIKED SR-1000** 

Metformin 500mg

**Tablets** 

### Spent Best Time with Love One...



# SAHWAS

Sildenafil Tablets 50/100mg

50 100

**Tablets** 



Sildenafil is used to treat male sexual function problems (impotence or erectile dysfunction-ED) In combination with sexual stimulation, sildenafil works by increasing blood flow, which help a man get and keep an erection.


### **Treats Erectile Dysfunction**

Sildenafil increases levels of cGMP in the corpus cavernosum which results in smooth muscle relaxation and inflow of blood leading to erection.

### DOSAGE :-

Maximum recommended dosing frequency is once a day. Can be taken 30 minutes to 3 hours before sexual activity.

For the treatment of Erectile Dysfunction and Pulmonary Arterial Hypertension



# A Perfect Approach in Ear Onfections...



# EARKED

Neomycin Sulphate, Beclomethasone Dipropionate, Clotrimazole & Lignocaine Hydrochloride Ear Drops

#### Neomicyn:

is used to prevent or treat skin infections caused by bacteria.

#### **Beclomethasone Dipropionate:**

Imparts potent anti-inflammatory, anti-allergic & anti-pruritic activity.

#### Clotrimazole:

Broad spectrum anti-fungal with additional activity against yeasts, Dermatophytes & Candida albicans.


#### Lignocaine Hydrochloride:

Possesses local anaesthetic activity for instant pain relief.

Otitis media

Allergy and inflammation of Ear

Suppuration of Middle Ear



Our eyes is our only sight to see the beautiful world so keep them fresh with.....

# EYEKED E/D

EYE DROPS

Carboxymethyl Cellulose Ophthalmic Solution 0.5 w/v with stabilized Oxichloro complex

### **Indications:**

- Dry Eye.
- Post operative care.
- Computer Vision syndrome.
- ♦ Dosage 1 to 2 Drops in each affected Eye 1- 4 times in a day Not Recommended below 12 year Old.
- Note: replace the cap immediately after use to avoid contamination Do not touch tip while using.

Most powerful in dry eye condition and other forms of EYE irritation



**Best Lubricating Eye drop** 

## Thank You Doctor



Business Development Office 4533 Chesterwood Dr. Plano, Texas. 75093 USA